

THE FENDER BCS GROUP OF COMPANIES

www.fenderbcs.co.uk

1. IDENTIFICATION OF THE SUBSTANCE/PREPERATION AND OF THE COMPANY

Product Supa – Flow EP Company Name Fender Bcs Group

20 Midland Road Scunthorpe

North Lincolnshire DN16 1DO

Tel: 01724 840609 Fax: 01724 281902

Fender Bes Group

Base Component

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients Mixture of Epoxy Resin and reactive diluent

Name	EC	CAS- No	Content	Symbol	R
	No			-	Phrase
Bisphenol	500 -	028064-14-4	50-62%	Xi, N	R36/38
A= Epichlorhydrin Resin	006-8				R43
with no. average					R51
M.W. = 700					R53
Bisphenol F = Epoxy		9003-36-5	20-28%	Xi N	R36/38
Resin					R43
					R51
					R53
C ₁₂ – C ₁₄ aliphatic		68609-97-2	10-18%	Xi, N	R36/38
Glycidyl Ether					R43
					R51
					R53

3. HAZARDS IDENTIFICATION

Main Hazards Irritating to eyes and skin. May cause sensitisation by skin contact. Not classified

as flammable but will burn.

4. FIRST AID MEASURES

Skin contact Remove contaminated clothing immediately. Rinse affected skin with copious

amounts of soap and water. If persistent irritation occurs obtain medical attention.

Eye Contact Immediately flush eyes with running water for at least 15 minutes without

interruption. Seek medical advice.

Ingestion DO NOT induce vomiting. If rapid recovery does not occur obtain medical

attention.

Inhalation No specific measures. Remove to fresh air in case of indisposition.

Our expertise is fitting all the pieces together

Fender Steel	BCS Products	Fender Steel	Fender Steel	Fender Steel	Fender Steel
Head Office	Caenby Corner	Unit 16A	Unit A5	5 Crofton Court	5a Freezemoor Road
20 Midland Road	Industrial Estate	Enterprise Park,	Astra Park	Portrack Lane	Houghton le Spring
Scunthorpe	Hemswell Cliff	Bergon Way	Parkside Lane	Stockton-on-Tees	Sunderland
North Lincolnshire	Nr. Gainsborough	Sutton Fields Ind. Est.,	Leeds LS11 5SZ	Cleveland TS18 2QR	Tyne & Wear DH4 7BH
DN16 1DQ	Lincolnshire DN21 5TU	Hull HU7 0YG			
Tel: 01724 840609	Tel: 01427 668187	Tel: 01482 820620	Tel: 0113 270 4555	Tel: 01642 603123	Tel: 0191 512 6749
Fax: 01724 281902	Fax: 01427 668012	Fax: 01482 820621	Fax: 0113 270 4666	Fax: 01642 674892	Fax: 0191 584 6547

5. FIRE- FIGHTING MEASURES

Extinguishing Dry powder, Carbon Dioxide, Water spray.

Media Carbon Monoxide may be evolved if incomplete combustion occurs.

Exposure Wear full protective clothing and self contained breathing apparatus.

Hazards Protection of fire-fighters

6. ACCIDENTAL RELEASE MEASURES

Personal
precautionsAvoid skin, eye and clothing contact. Provide sufficient ventilation during use.Environmental
precautionsprevent from entering sewer system, surface water or soil. Prevent from spreading
into drains, ditches or rivers by using sand, earth or other appropriate barriers
soak up with absorbent material e.g. dry sand, vermiculite, and dispose of as
instructed. Shovel up and place in labelled, sealable container for subsequent

procedures disposal.

7. HANDLING AND STORAGE

Handling Use in well ventilated areas. Keep containers tightly closed when not in use. Avoid

requirements contact with skin, eyes and clothing.

Avoid temperatures below 5°C.

Storage Store at ambient temperatures.

Conditions

Suitable Must only be kept in original packaging.

packaging

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Ensure there is sufficient ventilation of the area.

measures

Hand protection Protective gloves of PVC or rubber.

Eye Protection Mono-goggles

Skin Protection Standard issue work clothes. Safety boots/shoes; chemical resistant.

9. PHYSICAL AND CHEMICAL PROPERTIES

StateLiquidColourClearOdourSlightSolubilityNegligible

in water

Density $1.11 - 1.15/\text{cm} \ \text{@} \ 20^{\circ}\text{C}.$

Flash point C >200 °C

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions. Thermal decomposition not applicable under

normal conditions.

Conditions to

Temperatures above 95°C.

Avoid

Materials to avoid Acids, strong Oxidising Agents, and Caustic Soda.

Haz. Carbon Dioxide, Carbon Monoxide.

Decomposition products

11.TOXICOLOGICAL INFORMATION

Ingestion LD50 Acute oral toxicity in rats:>2000mg/kg
Eye Contact Eye irritation tested in rabbits: Irritant
Skin Contact Skin irritation tested in rabbits: Irritant

Mutagenicity Negative Ames test.

12. ECOLOGICAL INFORMATION

Mobility Readily absorbed into soil. Prevent contamination of soil, drains or surface water.

Bio accumulative Material sinks in water and has the potential to Bio- accumulate.

potential

Other adverse Not readily Bio- degradable (Sturm Test), Toxic to aquatic organisms

effects

13. DISPOSABLE CONSIDERATIONS

Recover or recycle if possible.

Otherwise dispose to licensed disposal contactor.

14. TRANSPORT	INFORMATION		
ADR/RID			
UN No	3082	ADR Class	9
Packaging Group	111	Classification	C11
Proper Shipping	Environmentally Hazardous	Code	
Name	Substance, Liquid n.o.s	Risk no	90
	(Bisphenol A Epoxy Resins)		
IMDG/IMO			
UN No	3082	Class	9
Packaging Group	111	EmS	F-A-S-F
Marine Pollutant		Labelling	9
IATA/ICAO			
UN No	3082	Class	9
Packaging Group	111	Packaging	914 (cargo
Labelling	9	Instruction	/passenger aircraft)
15. REGULATOR	RY INFORMATION		
Hazard Symbol	Xi, Irritant. N, Dangerous to the envir	onment.	
Risk Phrases	R36/38, Irritating to the eyes and skin.		
	PA2 May cause consitization by skin	contact	

R43 May cause sensitization by skin contact.

R51, Toxic to aquatic organisms

R53 May cause long-term adverse effects in the aquatic environment.

Safety Phrases S24, Avoid contact with skin.

S26, In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S28, After contact with skin, wash immediately with soap and water. S37/39, Wear suitable protective clothing, gloves, and eye/face protection.

S61, avoid release to the environment.

16. OTHER INFORMATION

Other information Read in conjunction with appropriate CURING AGENT component material Safety Data Sheet.

Legal Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Fender BCS Group shall not be held liable for any damage resulting from handling or from contact with the above product.